


## TLRABB

### Fitting Instructions



Thank you for purchasing a TRACKLANDER 4WD ROOF RACK ACCESSORY. Before you start, take a moment to familiarise yourself with the Fitting Instructions and the components received. Refer to the next section for a list of all the components, quantities and tools required.

What's inside the box




No	Description	Qty
1	TLRABB	1 pair (Left & Right)
2	Clamp Claw	4 pcs
3	Mini Cam Lock	2 pcs
4	Cam Lock Key	2 pcs
5	Button Cap Socket Screw, M8 x 30mm	4pcs
6	M8 Spring Washer	4pcs
7	Flat Washer, $\frac{5}{16} \times 1\frac{1}{4}$	4pcs
8	Acoustic Rubber Pad	4 pcs
9	Allen Key, Size 5	1 pc

## Introduction


TLRABB is an evolutionary Accessory Base Bracket that is designed for 100% offroad usage. Every pair of TLRABB comes with a clamping system that allows them to be attached onto the Tracklander Roof Rack quickly and easily.

Tracklander products are designed for ease and security. The TLRABB is uniquely designed to receive multiple accessories according to your travel needs. It features a quick locking and fast release function that allow accessories to be installed quickly and dismantled easily for storage. The TLRABB is highly adaptive and versatile despite having the lowest integrated height on the Roof Rack of its class. Please refer to the diagram below for accessory types that could be mounted onto the TLRABB.



## 1. Mounting of TLRABB to the Roof Rack

- Locate the slots marked with holes



- Install the pair of Claw Clamp into the slot loosely over the slotted holes (Rotate the Claw Clamp into the Button Cap Screw a few turns)



## 2. Mount the TLRABB onto the Roof Rack

- The TLRABB comes in a pairs. Depending on the length of the accessory to be mounted, position the Claw Clamps at the suitable mesh location on the Roof Rack that corresponds to the required position.
- To secure the Base Bracket, drop one end of the Claw Clamp through and underneath the mesh of the Roof Rack.



- Lower down the Base Bracket to allow the Claw Clamp at the opposite end to be dropped fully through the Roof Rack's Mesh.





- Once both ends of the Claw Clamp are engaged with the Roof Rack Mesh Base, secure the TLRABB firmly onto the rack by tightening all the Button Cap Socket Screws.



- The TLRABB is now mounted onto the Roof Rack and ready to receive your intended accessory.



## SAFETY

- All accessories and brackets must be secured firmly onto the Roof Rack at all times.
- Frequently check the tightness of accessories and brackets on the Roof Rack especially after going through off-road terrain.
- TLRABB is designed to suit Tracklander X series accessories only. Do not attempt to attach products that are not intended for the design.

## MAINTENANCE

- All bolted connections should be checked at regular intervals
- All bolted connections should be checked each time they are re-fitted.



### **IMPORTANT WARNING!**

IT IS CRITICAL THAT ALL TRACKLANDER 4WD ROOF RACK PRODUCTS BE PROPERLY AND SECURELY ASSEMBLED AND ATTACHED TO YOUR VEHICLE. IMPROPER ATTACHMENT COULD RESULT IN AN VEHICLE ACCIDENT, AND COULD CAUSE SERIOUS BODILY INJURY OR DEATH. YOU ARE RESPONSIBLE FOR ASSEMBLING AND SECURING ALL TRACKLANDER 4WD ROOF RACK PRODUCTS TO YOUR VEHICLE, CHECKING THE ATTACHMENTS PRIOR TO USE, AND PERIODICALLY INSPECTING THE PRODUCTS FOR ADJUSTMENT, WEAR AND TEAR. THEREFORE, YOU MUST READ AND UNDERSTAND ALL OF THE INSTRUCTIONS AND PRECAUTIONS SUPPLIED WITH YOUR TRACKLANDER 4WD ROOF RACK AND ACCESSORIES PRIOR TO INSTALLATION OR USE. IF YOU DO NOT UNDERSTAND ALL OF THE INSTRUCTIONS AND WARNINGS, OR IF YOU HAVE NO MECHANICAL EXPERIENCE AND ARE NOT THOROUGHLY FAMILIAR WITH THE INSTALLATION PROCEDURES, YOU SHOULD HAVE THE PRODUCT INSTALLED BY A PROFESSIONAL INSTALLER OR OTHER QUALIFIED PERSON.

NOTE: TRACKLANDER 4WD ROOF RACKS will not be responsible for any damage caused by the failure to install the product according to these instructions. Please call us if you have any questions about the installation of this product.

## **TRACKLANDER 4WD ROOF RACKS**

**T : (08) 9451 0700 E :[sales@tracklander.com.au](mailto:sales@tracklander.com.au) W :[tracklander.com.au](http://tracklander.com.au)**  
**A:12 Railway Parade, Welshpool, WA 6106**  
**OPEN 8.00AM - 5.00PM MON-FRI**